Sun Terrace™

8' x 6' Shed Assembly Instructions

READ THIS FIRST

BEFORE BEGINNING ASSEMBLY

1. **Building Code Notice:** Consult all local building codes, as well as city, county and state ordinances to ensure that construction of this shed does not require a building permit. Proper documentation and approvals may also be required by your neighborhood. Be sure to research this information before beginning assembly of your shed.

2. **Instructions:** Read Instructions thoroughly before beginning construction of your shed.
   - **NOTE:** Any reference to LEFT or RIGHT is from inside of the shed.
   - Follow instructions in progressive order. Do not skip ahead.

3. **Level Sturdy Foundation:** A level and sturdy foundation is REQUIRED before shed construction can begin. Complete foundation construction before unpacking parts. Recommended surfaces include a wood deck or concrete pad. Foundation recommendations are available in this booklet.

4. **Required Tools Notice:** Review the suggested tool list to ensure you have the right tools ready before beginning assembly.

5. **Inventory Parts:** Inventory the parts using the parts list in this booklet. Ensure you have all parts required to construct your shed. Do not assemble shed if parts are missing. A partially assembled shed may be seriously damaged by high winds. Do not attempt to assemble during high winds. Some parts may exceed number given and may be used as spare parts.

6. **Prevention of Floor Damage:** Sharp objects can puncture and damage your floor. It is recommended to place sharp or heavy objects on a wooden block between the object and the floor.

7. **Assembly Location:** Assembly of this shed requires a minimum of 5 feet on the sides of the shed to insert the roof panels into place. Please make sure your assembly site has enough space to allot for this step. **Please allow 13 feet clearance overhead for assembling the roof.**

DO NOT CONTACT STORE!

For assistance, including missing or broken parts, please call Customer Service at:

1-877-638-7056

EXT. #6

Our friendly customer service representatives will be happy to assist you on Monday through Friday, 8 AM to 5 PM Eastern Standard Time.
Customers outside of US and Canada, please contact the store for assistance.

Suggested Tools:



SunTerrace™

READ THIS FIRST

BEFORE BEGINNING ASSEMBLY

SAFETY INSTRUCTIONS:

FAILURE TO FOLLOW THESE WARNINGS MAY RESULT IN SERIOUS INJURY OR PROPERTY DAMAGE AND WILL VOID WARRANTY.

To ensure safety, do not attempt to assemble this shed without reading and following the instructions carefully. Check the entire box and all inside packing material for parts and/or additional instruction material. Before beginning assembly you must read the instructions thoroughly and identify all parts using the parts list in this document. Proper and complete assembly, use and supervision are essential for proper orientation and to reduce risk of accident or injury.

Do not store hot objects such as grills, blow torches, welding equipment, etc. in the shed.

If using a ladder during assembly, use extreme caution.

Two capable adults are required for shed assembly. It is also recommended that a third adult function as an instruction reader.

Parts List for the US Leisure 8' x 6' Shed

Part Name	Part Letter	Quantity
Back Panel	BP	4
Corner Brace	CB	4
Corner Lock	CL	8
Corner Panel	CP	4
Exterior Door Handle	DH	2
Door Plug	DP	4
Door Skirt	DS	2
Floor Panel A	FA	4
Floor Panel B	FB	4
Flat Lock	FL	14
Floor Plug	FP	10
Front Skirt Left	FSL	2
Front Skirt Right	FSR	2
Gable Center	GC	2
Gable Left	GL	2
Gable Right	GR	2
Door Hinge	H	6
Interior Door Handle	ID	2

Part Name	Part Letter	Quantity
Long Brace	LB	4
Left Door	LD	1
Door Latch Pin	LP	2
Mid Brace	MB	2
Mid Roof Support	MS	4
Panel Plugs	PP	54
Roof Panel	PR	4
Plastic Screws	PS	32
Roof Connector	RC	1
Right Door	RD	1
Roof Truss	RT	2
Gable Skirt	SG	2
Skylight	SL	2
Skylight Plug	SP	1
Side Skirt Left	SSL	2
Side Skirt Right	SSR	2
Side Wall	SW	4
Truss Pin	TP	2

Hardware Bag #1

#10 x 1/2" Pan Head Screw	16
#10 x 1 1/4" Pan Head Screw	83
#12 x 1 1/2" Pan Head Screw	32
3/8 - 16 x 2" Hex Bolt	1
3/8 - 16 Nut	1

Hardware Bag #2

#8 x 5/8" Flat head Screw (Door Lock)		4
Door Lock	DL	1
Door Latch	LCH	1

Washer Bag

Lock Washers	32

SunTerrace™

Part Identification



BP
4 - Back Panel

CP
4 - Corner Panel



SW
4 - Side Wall



LD
1 - Left Door



RD
1 - Right Door



FA
4 - Floor Panel A



FB
4 - Floor Panel B



FP
10 - Floor Plug



MB
2 - Mid Brace (Metal)



CB
4 - Corner Brace (Metal)



DP
4 - Door Plug

DH
2 - Exterior Door Handle

ID
2 - Interior Door Handle

H
6 - Door Hinge

LP
2 - Door Latch Pin

DL
1 - Door Lock

LCH
1 - Door Latch

SunTerrace™

8′ x 6′ Shed Assembly Instructions

Part Identification

LB
4 - Long
Brace (Metal)

DS
2 - Door
Skirt



SSL
2 - Side
Skirt Left



SSR
2 - Side
Skirt Right



FSL
2 - Front
Skirt Left



FSR
2 - Front
Skirt Right



MS
4 - Mid
Roof Support



PR
4 - Roof Panel



SG
2 - Gable Skirt



RT
2 - Roof Truss



RC
1 - Roof
Connector

TP
2 - Truss
Pin

GL
2 - Gable
Left



GR
2 - Gable
Right



GC
2 - Gable Center



SL
2 - Skylight

SP
1 - Skylight
Plug

FL
14 - Flat
Lock



CL
8 - Corner
Lock

PS
32 - Plastic
Screws

32 - Lock
Washer

32 - 12 x 1 1/2"
Pan Head Screw

83 - 10 x 1 1/4"
Pan Head
Screw

16 - 10 x 1/2"
Pan Head
Screw

1 - Hex
Bolt

1 - Hex
Nut

PP
54 - Panel
Plugs

Site Preparation and Foundation Construction

Site preparation and foundation construction are required for this shed.

Without a proper foundation for this shed, settling will occur causing possible distortion and damage to the shed. The manufacturer is not responsible for replacing parts or property lost due to improper assembly. Complete the site preparation and foundation construction before unpacking the shed parts and beginning assembly. Partial assembly of the shed can result in damages not covered under the warranty.

To prepare your shed site, please follow the following recommended steps

1. Consult local authorities for building codes and covenants before beginning foundation or erecting shed.

2. Before digging, check with local utilities to determine the location of any buried cables, pipes, etc.

3. Decide which type of foundation best suits your location. The manufacturer recommends the following:

   a) A concrete slab, at least 4 inches thick.

   b) A wood platform constructed from exterior grade wood. The wood platform should be placed on pier blocks or footing. Consult your local retailer for help in determining the best anchoring method for your chosen installation. The plans provided below are the optimum dimensions for the SunTerrace 8′ x 6′ shed.

4. Prepare the site, ensuring the ground sloping away from your foundation area to provide drainage. Foundation surface MUST be flat and level.

5. Anchoring shed to ground is an important step. Consult your retailer for the best method for your installation. For a concrete pad, use masonry fasters available at your local retailer. For a wood platform, use 5/16" x 4" lag screws with washers and they should be used at the 8 anchor points in the wall panels. See diagram below for anchoring locations.



Site Preparation and Foundation Construction

Concrete Slab Suggested Size*



*Dimensions allow for approximately 3" on each side.

Wood Platform Suggested Size*



Note: All Wood must be exterior grade.



Materials List:

Item	Qty	Size
A	7	2" x 6" x 5' 9" L
B	2	2" x 6" x 8' L
C	2	4' x 6' x 3/4" Plywood

SunTerrace™

8′ x 6′ Shed Assembly Instructions

Note: Complete Site Preparation and foundation construction before beginning assembly. Placing the shed on the ground without any type of foundation is not recommended. Settling will probably occur, causing distortion and/or damage to the shed.

In addition, inventory parts before beginning assembly. Do not begin assembly if parts are missing. A partially assembled shed can be seriously damaged by high winds. The manufacturer is not responsible for damage due to incomplete assembly.

STEP 1: ASSEMBLE THE FLOOR

This Step Requires:

4 - Floor Panel A (FA)
4 - Floor Panel B (FB)
10 - Floor Plugs (FP)
16 - #10 x 1/2" Pan Head Screw

Step 1a:

Snap together a Floor Panel A (FA) and a Floor Panel B (FB).





View of Assembled Floor Panels



You are currently working on the highlighted panels

Step 1b:

Insert 5 Floor Plugs (FP) into the assembled Floor Panel A (FA) and Floor Panel B (FB).



Step 1c:

Snap together a Floor Panel A (FA) and a Floor Panel B (FB).





You are currently working on the highlighted panels

Step 1d:

Snap together the sets of assembled floor panels.





You are currently working on the highlighted panels

Step 1e:

Snap together a Floor Panel B (FB) and a Floor Panel A (FA).





You are currently working on the highlighted panels

Step 1f:

Insert 5 Floor Plugs (FP) into the assembled Floor Panel B (FB) and Floor Panel A (FA).



Step 1g:

Snap together a Floor Panel B (FB) and a Floor Panel A (FA).





You are currently working on the highlighted panels

Step 1h:

Snap together the sets of assembled floor panels.





You are currently working on the highlighted panels

Step 1i:

Rotate one set of the floor panels and snap together the 2 sets of assembled floor panels.



This Step Requires:



16 - #10 x 1/2" Pan Head Screw

Step 1j:

Insert 16 - #10 x ½" Pan Head Screws into joint locations of the floor panels. Use screwdriver to insert screws. **Do not use drill to install screws or overtighten screws.**



Door Stops in Correct Position

NOTE:
Do Not Overtighten Screws

STEP 2: ASSEMBLE WALLS

This Step Requires:

8 - Corner Lock (CL)
4 - Back Panel (BP)
4 - Corner Panel (CP)
4 - Side Wall (SW)
24 - Plastic Screws (PS)
42 - #10 x 1 1/4" Pan Head Screw
24 - Lock Washers
14 - Flat Lock

Step 2a:

Position Corner Panel (CP) **without hinge holes** in corner as shown. Lock into position using 2 Plastic Screws (PS) and 2 Lock Washers.



Plastic Screw Assembly:

2 - Plastic Screws
2 - Lock Washers

NOTE:
No holes will appear on the outside of the Corner Panel

Step 2b:

Position Side Wall (SW) into corner and lock into position using 2 Plastic Screws (PS) and 2 Lock Washers.



Step 2c:

Insert Corner Locks (CL) x 2 by sliding into locked position.



NOTE:
Second person should apply pressure on opposite side of wall for easy insertion of corner lock (CL)

Corner Lock hooks must face down

Step 2d:

Position 2nd Side Wall (SW) and lock into position using 2 Plastic Screws (PS) and 2 Lock Washers.

Plastic Screw Assembly:

2 - Plastic Screws
2 - Lock Washers



Step 2e:

Fasten the Side Walls (SW) with 2 Flat Locks (FL).

NOTE:
Second person should apply pressure on opposite side of wall for easy insertion of Flat Lock (FL)

Flat Lock hooks must face down



Step 2f:

Position Corner Panel (CP) with hinge holes in front corner lining up with Side Wall (SW). Lock into position using 2 Plastic Screws (PS) and 2 Lock Washers.



Plastic Screw Assembly:

2 - Plastic Screws
2 - Lock Washers

SunTerrace™

8' x 6' Shed Assembly Instructions

Step 2g:

Insert Corner Locks (CL) x 2 by sliding into locked position.



NOTE:
Second person should apply pressure on opposite side of wall for easy insertion of corner lock (CL)

Corner Lock hooks must face down

Step 2h:

Position one Back Panel (BP). Lock into position using 2 Plastic Screws (PS) and 2 Lock Washers. Repeat this step three more times.

Plastic Screw Assembly:

2 - Plastic Screws
2 - Lock Washers



Step 2j:

Position Corner Panel (CP) without hinge holes in back corner lining up with Back Panel (BP). Lock into position using 2 Plastic Screws (PS) and 2 Lock Washers.



Plastic Screw Assembly:

2 - Plastic Screws
2 - Lock Washers



Step 2i:

Fasten the Back Panels (BP) with 2 Flat Locks between each panel as shown.

NOTE:
Second person should apply pressure on opposite side of wall for easy insertion of flat lock (FL)

Flat Lock hooks must face down





Step 2k:

Position Side Wall (SW) lining up with Corner Panel (CP). Lock into position using 2 Plastic Screws (PS) and 2 Lock Washers.



Plastic Screw Assembly:

2 - Plastic Screws
2 - Lock Washers





Inside View

Step 2l:

Insert Corner Locks (CL) x 2 by sliding into locked position.

NOTE:
Second person should apply pressure on opposite side of wall for easy insertion of corner lock (CL)

Corner Lock hooks must face down



Inside View

Step 2m:

Position 2nd Side Wall (SW) and lock into position using 2 Plastic Screws (PS).



Plastic Screw Assembly:

2 - Plastic Screws
2 - Lock Washers

Step 2n:

Fasten the Side Walls (SW) with 2 Flat Locks (FL).

NOTE:
Second person should apply pressure on opposite side of wall for easy insertion of flat lock (FL)

Flat Lock hooks must face down





Step 2o:

Position Corner Panel (CP) with hinge holes and lock into position using 2 Plastic Screws (PS) and 2 Lock Washers.



Plastic Screw Assembly:

2 - Plastic Screws
2 - Lock Washers



Step 2p:

Insert Corner Locks (CL) x 2 by sliding into locked position.



NOTE:
Second person should apply pressure on opposite side of wall for easy insertion of corner lock (CL)

Corner Lock hooks must face down

SunTerrace™

Step 2p:

Secure each wall with 6 - #10 x 1 1/4" Pan Head Screws. Hole locations are located where the two walls join together.

This Step Requires:

42 - #10 x 1 1/4" Pan Head Screw

NOTE:
Do Not Overtighten Screws



Use screw holes located on left panel

Use screw holes located on right panel

Step 2q:

Insert the four Long Braces (LB) into the top of the Side and Back Panels at the locations indicated in the image below.



STEP 3: Assemble Gables

This Step Requires:

2 - Gable Left (GL)
2 - Gable Right (GR)
2 - Gable Center (GC)
2 - Gable Skirt (SG)
4 - #10 x 1 1/4" Pan Head Screw

Step 3a:

Insert Gable Left (GL) and Gable Right (GR) into Gable Center (GC). Repeat this step for the second gable.



Step 3b:

Snap Gable Skirt (SG) into the front of the gable. Repeat this step for the second gable. Tighten with 2 #10 x 1 1/4" Pan Head Screws.



This Step Requires:

4 - #10 x 1 1/4" Pan Head Screw

NOTE:
Do Not Overtighten Screws

STEP 4: Assemble Roof

This Step Requires:
2 - Mid Brace (MB)
2 - Roof Truss (RT)
1 - Roof Connector (RC)
2 - Truss Pin (TP)
4 - Roof Panel (PR)
2 - Skylight (SL)
1 - Skylight Plug (SP)
4 - Mid Roof Support (MS)
8 - Plastic Screws (PS)
8 - Lock Washers
5 - #10 x 1 1/4" Pan Head Screw
1 - Hex Nut
1 - Hex Bolt

Step 4a:

Assemble the Roof Truss (RT) with Roof Truss (RT). Place Roof Connector (RC) in between the trusses as you assemble.



Step 4b:

Insert 2 Truss Pins (TP) into the connections of the Roof Trusses (RT) and Roof Connector (RC). Then insert the Hex Nut and Hex Bolt temporarily to hold the Roof Trusses together.



Insert Bolt Temporarily

Step 4c:

Snap the Skylight (SL) against the roof truss. Make sure both snaps are fully engaged.



Step 4d:

Place Skylight Plug (SP) on skylight top center. Snap in the 2nd Skylight (SL) against the roof truss, taking care to ensure the skylight plug is between the skylight panels.



Step 4e:

Remove the Hex Nut and Hext Bolt from the roof truss. Assemble the Mid Braces (MB) to the Roof Trusses (RT). Then reattach the Hex Nut and Hex Bolt and tighten.



Step 4f:

Snap the back gable into place on the top of the corner panels. Lock into position using 4 Plastic Screws (PS) and 4 Lock Washers.



Plastic Screw Assembly:

4 - Plastic Screws
4 - Lock Washers

Step 4g:

Snap into place the assembled roof truss structure into position on the Side Walls (SW).



Step 4h:

Snap the front gable into place across the top of the corner and front corner panels. Lock into position using 4 Plastic Screws (PS) and 4 Lock Washers.



Inside View

Plastic Screw Assembly:

4 - Plastic Screws
4 - Lock Washers

Step 4i:

Securely snap the skylight lip on to the front and back gables. Attach the back gable to the Mid Brace (MB) using two #10 x 1 1/4" Pan Head Screws, repeat for the front gable. Secure the back gable to the back panel using one #10 x 1 1/4" Pan Head Screw.



Step 4i:

Slide Mid Roof Support (MS) into place between Roof Truss (RT) and Gable. Repeat this step 3 more times.



Step 4k:

Slide the Roof Panel (PR) into place and snap into the skylight. Roof panel should engage with the gable and roof truss. Repeat this step 3 more times.



NOTE:
Roof Panels (PR) must have snap locations at top when inserting panels

NOTE:
It is recommended to have one person hold Skylight while snapping panels into place.

STEP 5: Assemble Skirting

This Step Requires:

2 - Side Skirt Left (SSL)
2 - Side Skirt Right (SSR)
2 - Front Skirt Left (FSL)
2 - Front Skirt Right (FSR)
2 - Door Skirt (DS)
6 - Door Hinge (H)
4 - Corner Brace (CB)
12 - #12 x 1 1/2" Pan Head Screw
32 - #10 x 1 1/4" Pan Head Screw

Step 5a:

Snap together the Side Skirt Left (SSL) and the Side Skirt Right (SSR). Repeat this step once.



Step 5b:

Snap the assembled side skirt into place on the edge of the roof. Repeat this step for the other side of the shed. Each skirt is attached by 2 - #10 x 1 1/4" Pan Head Screws from the inide of the shed.

This Step Requires:

8 - #10 x 1 1/4" Pan Head Screw

Do Not Overtighten Screws



Screws are marked by the "X" in the diagram above.

Recommendation: Start screws by hand until finger tight before using screwdriver.

Step 5c:

Snap together the Front Skirt Left (FSL) and the Front Skirt Right (FSR). Repeat this step once.



Step 5d:

Snap the assembled front skirt into place on the edge of the gable. Secure the roof skirt with 4 - #10 x 1 1/4" Pan Head Screws from the inside of shed. Repeat this step for the other side of the shed.



This Step Requires:

8 - #10 x 1 1/4" Pan Head Screw

Do Not Overtighten Screws

Recommendation: Start screws by hand until finger tight before using screwdriver.

Step 5e:

Screw in the Corner Brace (CB) to the corner of the shed using 2 - #10 x 1 1/4" Pan Head Screws. Repeat this step three more times for each corner of the shed.

This Step Requires:

16 - #10 x 1 1/4" Pan Head Screw

Do Not Overtighten Screws



Step 5f:

Snap 3 Hinges (H) into Door Skirt (DS) and then locate on door frame. Repeat for other side of door opening.



Step 5g:

Attach Hinges using #12 x 1 1/2" Pan Head Screws through inside of the shed securely fastening hinges to the wall. Repeat step for other side of door opening.

This Step Requires:

12 - #12 x 1 1/2" Pan Head Screw



Do Not Overtighten Screws

STEP 6: Assemble Doors

This Step Requires:

1 - Right Door (RD)
1 - Left Door (LD)
4 - Door Plug (DP)
2 - Exterior Door Handle (DH)
2 - Interior Door Handle (IH)
2 - Door Latch Pin (LP)
1 - Door Lock (DL)
1 - Door Latch (LCH)
20 - #12 x 1 1/2" Pan Head Screw
4 - #8 x 5/8" Flat Head Screw

Step 6a:

1. Slide and snap Door Plugs (DP) into top and bottom of the door panel.
2. Slide Interior Door Handle (IH) into the door panel, connecting it to the Exterior Door Handle (DH) and fasten with #12 x 1 1/2" Pan Head Screw.
3. Repeat for second door.

This Step Requires:

8 - #12 x 1 1/2" Pan Head Screw

Do Not Overtighten Screws



Step 6b:

Snap Hinges into Door Panels (RD and LD) and attach using 6 - #12 x 1 1/2" Pan Head Screws. Repeat for other door.

This Step Requires:

6 - #12 x 1 1/2" Pan Head Screw

Do Not Overtighten Screws



Inside View

Step 6c:

1. Slide Door Latch (LCH) into the Right Door Panel (RD) and fasten using #8 x 5/8" Phillips Head Screws.
2. Slide Door Lock (DL) into Left Door Panel (LD) and fasten using #8 x 5/8" Phillips Head Screws.



Step 6d:

Slide Door Latch Pin (LP) into the track on the top and bottom of the Right Door Panel (RD).



STEP 7: Insert Panel Plugs

This Step Requires:

54 - Panel Plugs (PP)

Step 7a:

Insert Panel Plugs (PP) and turn ¼ turn into all wall panels and both door panels.

This Step should be repeated 54 times.

NOTE:
There are extra Panel Plugs (PP) that will not be used.



5 Year Non-Transferable Limited Warranty

US Leisure, ("USL") warrants to you the original purchaser of resin storage buildings manufactured by it (hereinafter referred to as "Products"), that subject to the terms and conditions herein contained, the Products are and will be free from defects in materials and workmanship that result in warping, rotting, corroding, flaking, peeling, blistering, or abnormal discoloration of surfaces. The term, "defects", is defined as imperfections that impair the use of the product. This warranty will remain in effect for a period of 5 years as long as you are the original purchaser of the Product and if the Product is used in non-commercial applications. All failures of Products covered by this warranty will be repaired, replaced, or restored by USL in accordance with the terms and conditions of this warranty. By acceptance and use of the Products, you agree with USL's liability, and replacement of the Products at USL's option as provided herein.

Products which experience color change due to normal weathering are excluded from this warranty (including non-uniform fading and color changes resulting from unequal exposure of panels to the sun and elements.) For purposes of this warranty, the term "normal weathering" means exposure to ultraviolet (sun) light, and extremes of temperature and atmosphere which will cause any colored or painted surface to fade, darken, chalk, or acquire surface accumulation of dirt or stains. The severity of these conditions depends on air quality, the geographic location of the property at which the Products are installed, and other local conditions over which USL has no control. USL shall not be liable for and this warranty does not apply or extend to any failure, defects, or damages arising from or connected with, without limitation, misuse, abuse, neglect, faulty or improper installation.

This warranty is void if structural parts and components not supplied by USL are used. This warranty will be void if product is not assembled according to instructions including but not limited to the level surface guidelines. Failure, damage, defects or other malfunctions resulting from misuse, abuse, negligence, alteration, unreasonable use, accident, lack of proper maintenance, impact of foreign objects, hail, tornado, hurricane, other violent storm, flood, fire, pollutants, chemicals, rusting, acts of nature, vandalism, and other causes beyond USL's control shall not be considered defects under this warranty and are not covered in any way by this warranty. USL shall not be liable for inconvenience, labor, loss of time, maintenance, removal or reinstallation of the Products or other incidental, special or consequential damages arising in relation to the purchase or use of the Product. This warranty is void if the surface of the Product is painted or has had any other foreign material applied to it, other than as specifically directed in the owner's manual included with the Product. This warranty does not cover scratching or scuffing of the Product that may result from normal usage. Any structural modifications to the Product will void the product warranty, including but not limited to, aftermarket accessories not designed by US Leisure for the express purpose of use with the Product.

While every attempt is made to embody the highest degree of safety in all equipment, freedom from injury cannot be guaranteed. The user assumes all risk of injury resulting from the use of this Product.

The 5 Year Limited Warranty Non-Commercial Applications coverage provided by this warranty is extended to individuals who are using the Products as homeowners and does not extend to Products purchased by or installed upon property owned by other entities, including, without limitation, corporations, partnerships, trusts, estates, governmental agencies or bodies, religious organizations, schools, condominiums, or co-operative housing arrangements, or installed at apartment buildings or any other multi-housing arrangements.

5 Year Non-Transferable Limited Warranty

This warranty becomes valid upon the date of purchase. A copy of the proof of purchase (a valid dated receipt from place of purchase) will be required from the consumer for all warranty claims. In order to assist us in development of other products and to enable us to contact you in the event that an important product information update is released, please complete the enclosed product registration card and return it to us. Thank you for your cooperation.

Warranty claims:
The owner must give prompt notice of any defects to obtain warranty service. Should the Product contain a manufacturing defect promptly contact US Leisure Customer Service, 1-877-638-7056 Ext. 6 or by mail, 2369 Charles R. Jonas Hwy, Stanley, NC 28164 to register the claim with a customer service representative. USL will require proof of purchase or a copy of the dated original purchase receipt, and have a clear photograph of the defective part(s) (or actual part(s) if requested). USL will, at its option, repair or replace such defective part(s) free of charge, including freight charges within North America. This warranty is NOT applicable outside of North America.

If requested for inspection, defective parts must be shipped to USL's chosen shipping address that will be provided upon authorization and instructions. When returning a product, an insured method of delivery with a required signature is recommended. You must pay for all return shipments, as USL does not accept COD, returns or any additional shipping charges which may incur on the delivery to USL's chosen address.

USL reserves the right to discontinue or change any of its Products, including colors, without giving notice to the purchaser. Should a Product covered by this warranty be unavailable, USL reserves the right to substitute a product that is of equal quality according to USL's sole discretion or to refund the portion of the original price for defective part of the Product reflective of its original contribution to the cost of the Product.

If the Product is determined to need full replacement, USL may refund the lower of a pro-rata portion of the purchase price as determined below or the advertised selling price of comparable Product at the time of adjustment. Pro-rata basis of the price is determined by the following calculation: 0-1 years of ownership, 100% refund of original purchase price. Over 1 years to 2 years of ownership, 80% refund of original purchase price. Over 2 years to 3 years of ownership, 60% refund of the original purchase price. Over 3 years to 4 years of ownership, 40% refund of the original purchase price. Over 4 years of ownership to completion of the warranty, 20% of original purchase price. Taxes, shipping costs, inconvenience, loss of use, installation fees, incidental or consequential damages will not be covered in the adjustment.

THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, LIABILITIES OR OBLIGATIONS OF US LEISURE EITHER EXPRESSED OR IMPLIED, EXCEPT THAT THE DURATION OF ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE LIMITED IN TIME TO THE DURATION OF THIS WARRANTY. US LEISURE SHALL IN NO EVENT BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL OR SPECIAL DAMAGES OF ANY KIND FOR BREACH OF ANY EXPRESS WRITTEN OR VERBAL OR IMPLIED WARRANTY ON PRODUCTS. YOUR EXCLUSIVE REMEDY SHALL BE ENFORCEMENT OF THIS WARRANTY UPON THE TERMS AND CONDITIONS HEREIN CONTAINED. NO REPRESENTATIVE OF US LEISURE OR ITS DISTRIBUTORS OR DEALERS IS AUTHORIZED TO MAKE ANY CHANGE OR MODIFICATION TO THIS WARRANTY.

5 Year Non-Transferable Limited Warranty

Some jurisdictions do not allow limitation on how long an implied warranty lasts, so the limitations contained herein above may not apply to you. Some jurisdictions do not allow the exclusion or limitation on consequential or special damage, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights, all of which vary from jurisdiction to jurisdiction.

Privacy Notice

Effective: 8/1/2006

We care about our customers' privacy. We Do Not Share Customer Information With Anyone.

In order to assist us in development of other products and to enable us to contact you in the event that an important product information update is released, please complete the enclosed product registration card and return it to us or visit us online at www.usleisureoutdoor.com to fill out the registration information there.

Privacy Notice Table of Contents

Our Commitment to Privacy
The Information We Collect
How We Use Information
Our Commitment to Data Security
Our Commitment to Children's Privacy
How To Access Or Correct Your Information
How To Contact Us

Our Commitment to Privacy
Your privacy is important to us. To better protect your privacy we provide this notice explaining our online information practices and the choices you can make about the way your information is collected and used. To make this notice easy to find, we make it available on our homepage and at every point where personally identifiable information may be requested.

The Information We Collect:
This notice applies to all information collected or submitted on the US Leisure website. On some pages, you can order products, make requests, and register to receive materials. The types of personal information collected at these pages are:

Name
Address
Email address
Phone number
(etc.)

On some pages, you can submit information about other people. For example, if you order a gift online and want it sent directly to the recipient, you will need to submit the recipient's address. In this circumstance, the types of personal information collected are:

Name
Address
Phone number
(etc.)

Privacy Notice Continued

The Way We Use Information:
We use the information you provide about yourself when placing an order only to complete that order. We do not share this information with outside parties except to the extent necessary to complete that order.

We use the information you provide about someone else when placing an order only to ship the product and to confirm delivery. We do not share this information with outside parties except to the extent necessary to complete that order.

We use return email addresses to answer the email we receive. Such addresses are not used for any other purpose and are not shared with outside parties.

You can register with our website if you would like to participate in a consumer advisory panel. Information you submit on our website will not be used for this purpose unless you fill out the registration form.

Finally, we never use or share the personally identifiable information provided to us online in ways unrelated to the ones described above without also providing you an opportunity to opt-out or otherwise prohibit such unrelated uses.

Our Commitment To Data Security
To prevent unauthorized access, maintain data accuracy, and ensure the correct use of information, we have put in place appropriate physical, electronic, and managerial procedures to safeguard and secure the information we collect online.

Our Commitment To Children's Privacy:
Protecting the privacy of the very young is especially important. For that reason, we never collect or maintain information at our website from those we actually know are under 13, and no part of our website is structured to attract anyone under 13.

How You Can Access Or Correct Your Information
You can correct factual errors in your personally identifiable information by sending us a request that credibly shows error.

To protect your privacy and security, we will also take reasonable steps to verify your identity before granting access or making corrections.

How To Contact Us
Should you have other questions or concerns about these privacy policies, please call us at (877) 638-7056 ext. 6 or send us an email at uslcs@keter.co.il.

SunTerrace™

8′ x 6′ Shed Assembly Instructions

Product Registration

1. Name and Address (required):
   First Name: _____ Last Name: _____
   Address: _____
   _____
   City: _____
   State/Province: _____ Postal Code: _____
2. Email Address (optional): _____
3. Telephone Number (optional): _____
4. Year of Birth (optional): _____ 5. Gender (optional): ☐ Male ☐ Female
6. Marital Status (optional): ☐ Married ☐ Single ☐ Partnered
7. Model Number (required): _____
8. Date of Purchase (required): _____
9. Name of Store where purchased (required): _____
10. Price paid (required): _____
11. Was this product purchased (optional): ☐ For personal use? ☐ As a gift?
12. What three factors most influenced your decision to purchase this product? (optional):
    ☐ Brand Reputation ☐ Store Display ☐ Advertising ☐ Quality / Durability
    ☐ Price ☐ Friend / Relative Experience ☐ Style / Appearance ☐ Product features
    ☐ Warranty ☐ Other: Please explain _____
13. When did you decide on this purchase? (optional):
    ☐ Received as a gift ☐ Before coming into the store ☐ While in the store
14. Did you research this product before your purchase? If yes, how? (optional):
    ☐ On the Internet ☐ In retail stores ☐ Through family and friends
15. Not including yourself, what is the gender and age (in years) of other adults and children living in your home? (optional):
    1: _____ 2: _____ 3: _____ 4: _____
16. What is your occupation? (optional):
    ☐ Professional / Technical ☐ Upper Management / Executive ☐ Middle Management
    ☐ Sales / Marketing ☐ Clerical / Service Worker ☐ Tradesman / Laborer
    ☐ Other: _____
17. Which group describes your annual family income? (optional):
    ☐ Under $15,000 ☐ $15,000 - $24,999 ☐ $25,000 - $49,999 ☐ $50,000 - $74,999
    ☐ $75,000 - $99,999 ☐ $100,000 - $149,999 ☐ $150,000 and over.
18. Highest level of education completed (optional):
    ☐ Completed High School or equivalent certificate ☐ Completed some college
    ☐ Completed college ☐ Completed graduate school
19. Are you active military or have you ever served in the military? (optional): ☐ Yes ☐ No
20. For your primary residence do you (optional): ☐ Rent? ☐ Own?
21. How recently did you move into your current residence? (optional):
    ☐ Within 3 months ☐ Within 1 year
    ☐ Within 6 months ☐ Have not moved in last 12 months

SunTerrace™

8' x 6' Shed Assembly Instructions

In order to assist us in development of other products and to enable us to contact you in the event that an important product information update is released, please complete the enclosed product registration card and return it to us. Thank you for your cooperation.

Privacy Policy: Please visit www.usleisureoutdoor.com to read our privacy statement

Should the manufacturer form a consumer panel regarding our product lines or future product lines, may we contact you using the information provided to ask if you would like to participate in the panel? ☐ Yes ☐ No

Place Stamp Here

Attn: Product Registration Department
2369 Charles R. Jonas Hwy
Stanley, NC 28164